

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
		<u>PULP STORAGE BUILDING # 101</u>		
1	1-	Black Clawson 6' Dia. Hydrapulper, Equipped with 33" Dia. Vokes Power Saver Rotor and Mid Con High Consistency Rotor, 125-HP Motor and V-Belt Drive, DeZurik Consistency Control, (3) Roll Pulp Unwind Stands, with (3) Dual Pull Rolls		
2	1-	Manufacturer Unknown 6' Dia. Pulper, Equipped with Top Entering Agitator Gear Box and Motor, DeZurik Consistency Control, 20" Wide x 35' Long Chain Bale Conveyor		
3	1-	Black Clawson 6' Dia. Hydrapulper, Equipped with 33" Dia. Vokes Power Saver Rotor and Mid Con High Consistency Rotor, 125-HP Motor and V-Belt Drive, DeZurik Consistency Control, (5) Roll Pulp Unwind Stands, with (3) Dual Pull Rolls		
4	1-	Manufacturer Unknown 6' Dia. x 12' High Slurry Steeping Mercerization Tank, 18,000-Lb. Capacity, Equipped with Top Mounted Agitator, with Gear Box and 75-HP Motor		
5	1-	Black Clawson 6' Dia. Hydrapulper, Equipped with 33" Dia. Vokes Power Saver Rotor and Mid Con High Consistency Rotor, 125-HP Motor and V-Belt Drive, DeZurik Consistency Control, (5) Roll Pulp Unwind Stands, with (3) Dual Pull Rolls		
6	1-	Manufacturer Unknown 6' Dia. x 12' High Slurry Steeping Mercerization Tank, 18,000-Lb. Capacity, Equipped with Top Mounted Agitator, with Gear Box and 75-HP Motor		
7	3-	Manufacturer Unknown 2-Ton Underhung Single Girder Bridge Cranes, Equipped with 2-Ton Detroit Cable Hoists Motorized Trolleys and Bridges, Pendant Operated		
8	1-	Detroit 2-Ton Cable Hoist, with Motorized Trolley (Please Note: This Hoist is New, Never Used)		
9	4-	6,600-Gallon Caustic Soda Tanks, Equipped with Chemineer Agitators and Motors		

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
10	1-	Lenzing Type 1500 Lye Filter Press, S/N 111, Stainless Steel Construction	██████████	██████████
11	1-	Bird Young Model 2500 Filter Press, S/N 584	██████████	██████████
12	6-	Impco Continuous Slurry Pulp Presses, Equipped with 20" Dia. x 52" Face Press Rolls, with Stainless Steel Drilled Covers, with Rake Conveyors, Motors, Drives, and Gear Boxes	██████████	██████████
13	1-	Impco Continuous Slurry Pulp Press, Equipped with 20" Dia. x 72" Face Press Rolls, with Stainless Steel Drilled Covers, with Rake Conveyor, Motor, Drive, and Gear Box	██████████	██████████
14	3-	12' Wide x 60' Long Rubber Belt Aging Conveyors, with Gear Boxes and Motors	██████████	██████████
15	3-	Sprout Waldron Model 30 x 36 Attrition Mills, Equipped with 75-HP Motors and V-Belt Drives, S/N's 93-0019A95, 90-0568A94, and 1718	██████████	██████████
16	3-	Roots Blowers, Size 14 x 36, Equipped with 100-HP Motors and V-Belt Drives	██████████	██████████
		<u>SLURRY SEEPING BUILDING 102 – LYE BUILDING</u>		
17	8-	M1, M2, M3, M4, N/A, C1, C2, C3 Correction Lye Storage Tanks, each 32,000-Gallon Capacity, 18' Dia. x 20' Tall, Welded Steel Construction, Bottom Drain (Please Note: Removal Factor – Extreme)	██████████	██████████
18	1-	Storage Tank (Buffer Material), Not in Use, 32,000-Gallon Capacity, 18' Dia. x 20' Tall, Welded Steel Construction, Bottom Drain (Please Note: Removal Factor – Extreme)	██████████	██████████

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
19	4-	N/A, P-3, P-4, P-5 Press Lye Storage Tanks, each 32,000-Gallon Capacity, 18' Dia. x 20' Tall, Welded Steel Construction, Bottom Drain (Please Note: Removal Factor – Extreme)	██████████	██████████
20	6-	N/A, D-1, D-2, D-3, D-4, D-5 Dissolving Lye Storage Tanks, each 32,000-Gallon Capacity, 18' Dia. x 20' Tall, Welded Steel Construction, Bottom Drain (Please Note: Removal Factor – Extreme)	██████████	██████████
21	17-	P-2, P-3, P-4, P-5, P-6, P-7, P-8, P-9, P-10, P-11, P-1, (6) N/A Press Lye Storage Tanks, each 32,000-Gallon Capacity, 18' Dia. x 20' Tall, Welded Steel Construction, Bottom Drain (Please Note: Removal Factor – Extreme)	██████████	██████████
22	1-	N/A Press Lye Storage Tank, 20,000-Gallon Capacity, 10' Dia. x 16' Tall, Welded Steel Construction, Bottom Drain (Please Note: Removal Factor – Extreme)	██████████	██████████
23	3-	P4, P5, P6 Strong Lye Storage Tanks, each 142,848-Gallon Capacity, Estimated 30' Dia. x 40' Tall, Welded Steel Construction, Bottom Drain (Please Note: Removal Factor – Extreme)	██████████	██████████
24	Lot-	Approx. (13) Gould Centrifical Pumps (Please Note: Valued in Lot of Pumps)	-	-
25	Lot-	Approx. (19) Gould Centrifical Pumps, each Equipped with 7½-HP Motor (Please Note: Valued in Lot of Pumps)	-	-
26	16-	Manufacturer Unknown Out of Service Sand Filters	██████████	██████████

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
27	1-	Horizontal In-Line Filter System, Equipped with Pumps, Motors, and Control		
28	1-	Candle In-Line Filter System, Equipped with Pumps, Motors, and Control		
29	1-	Centrifuge System, Equipped with (6) Centrifuges, Open Top Tanks, Piping, Etc. (Please Note: Not in Service at Time of Inspection)		
30	1-	677 Economy Model 2566 Electric Man Lift, S/N HN84399, 1,250-Lb. Capacity, 25' Lift Height		
31	1-	Modern Light Materials Model AYR-SC-25-84-36 Portable Aluminum Lift Truck Ramp, S/N 92547, 20,000-Lb. Capacity, 72" Wide x 25' Long		
32	5-	Genquip Portable Rail Car Dock Plates, each 48" Wide x 160" Long		
33	1-	Gemco 2-Ton Tolly Hoist (Please Note: Not Installed at Time of Inspection)		
34	1-	Yale Carryall Electric Golf Cart <u>OUTSIDE</u>		
35	2-	Viscose Vertically Mounted Insulated Storage Tanks		
36	6-	CS ₂ Pressurized Vessel Holding Tanks, each Constructed within Concrete Barrier, Submerged in Water <u>BUILDING 103 – CHURN ROOM</u>		
37	5-	French Oil Mill Machinery Hydraulic Soaking Plate Presses (Please Note: All Presses Out of Service)		

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
Effective Date: August 4, 2004				
			\$	\$
38	1-	Manufacturer Unknown Bag House, Equipped with Sprout Waldron Rotary Feed Valve for # 16 Churn, with (1) Set of Shredding Rolls and 1"-12" Wide x 15' Long Belt Conveyor and 1"-12" Wide x 30' Long Belt Conveyor	██████████	██████████
39	2-	Manufacturer Unknown Bag Houses, Equipped with Sprout Waldron Rotary Feed Valves to Feed Metal Bins	██████████	██████████
40	1-	Galahad Type GIMK2 Bag Slitter, S/N 85D1156010Z	██████████	██████████
41	Lot-	Approx. (40) Hopper Metal Bins to Feed Churns	██████████	██████████
42	1-	Titanium Dioxide Injection System, Consisting of (1) High Shear Mix Tank, Stainless Steel Construction, (2) Mix Tanks, 1,400-Gallon Capacity, Stainless Steel Construction, (2) Dilution Tanks, 4,000-Gallon Capacity, Stainless Steel Construction, (1) Injection Tank, with Agitator, Stainless Steel Construction	██████████	██████████
43	2-	Netzsch Model RM-25 Bead Mills (New 1982), Equipped with Motors	██████████	██████████
44	12-	Mild Steel Back Wash Tanks, each Equipped with Chemineer Side Mounted Agitators	██████████	██████████
45	1-	Hankison Model 807000 Air Dryer, S/N 0312A-3-9007-26, R22 Refrigerant, 700-SCFM	██████████	██████████
46	3-	Dravo Wet Churns (Estimated New 1954), Type JWMA, 90" x 104", 20/40-HP Motors, 1,850/2,000-Gallon Capacity, Internal Vacuum 50-psi, S/N's W-2391-, 2, 7, Equipped with Dissolver Tanks, 2,000-Gallon Capacity, with Agitators, Gear Boxes, and Motors	██████████	██████████

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
47	13-	Baker Perkins Wet Churns, 90" x 104", 1,850/2,000-Gallon Capacity, Internal Vacuum 50-psi, Machine #'s 10117, W-41011, 50116, 50120, 53709 (New 1964), 50118 (New 1956), 50119 (New 1956), 50112 (New 1956), 51707 (New 1966) (Out of Service), 53708 (New 1964) (Out of Service), (3) N/A, (1) Out of Service, Equipped with (15) Dissolver Tanks, (9) at 2,000-Gallon Capacity, (6) at 2,800-Gallon Capacity, with Agitators, Gear Boxes and Motors, Mild Steel Construction		
48	1-	Lenzing Wet Chum (New 1994), 10,500-Gallon Capacity, Equipped with Keller Type SVH56080 Parallel Shaft Reducer, S/N 7748, with 150-HP and 100-HP Motors, with (1) Hopper Bin to Load #16 Chum, with Rotary Feed Valve, with 24" Wide x 20' Long Belt Conveyor, (4) Lenzing Type FH150M45/60 Fine Homogenizers, with Gear Motor Disk Adjustment, 60-HP Motors S/N's 121, 122, 123, 124, and (2) Lenzing Type GH350RVM-75/900 Rough Cutters, 120-Cubic Meters/Hour Capacity, with 100-HP Motors		
49	4-	Blending Tanks, 8,000-Capacity, Equipped with Agitators, Gear Boxes and Motors, Mild Steel Construction		
		<u>BUILDING 120 - 2ND FLOOR MAINTENANCE DEPARTMENT</u>		
50	1-	Zero Manufacturing Company Model N/A, 2-Hand Hole Sand Blast Cabinet, S/N N/A, 36" x 36" x 36" Chamber, Equipped with Pressure Spray Nozzle, Pneumatic Foot Pedal Control, 600-cfm Dry Filter, and Dust Collector, S/N 42329		
51	1-	Craftsman Model 101.28990 Engine Lathe, S/N 103380, 11" Swing x 30" C.C., Equipped with Gear Head, Inch / Metric Threading, Tool Post, and Tailstock, Mounted on Fabricated Base		
52	1-	Powermatic Model 1200, 20" Single Spindle Floor Standing Drill, S/N 920V1004, Geared Head, 300-2,000 RPM Variable Speed, Equipped with 20½" x 20½" T-Slotted Table, Power Feed Foot Pedal Control, and Machine Vise		

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
Effective Date: August 4, 2004				
			\$	\$
53	1-	Uhrden Inc. Model Turbocrane 2-Ton Manual Hydraulic Engine Hoist, Equipped with 5' Boom and Castered Base	████████	████████
54	2-	Knack 60" x 30" x 48" High Tool Boxes	████████	████████
55	1-	"QC" Queen City Machine Company Model N/A 10" Double End Grinder, S/N N/A, Mounted on Steel Fabricated Pedestal	████████	████████
56	1-	Baldor Model N/A Combination Disc and Belt Sander, S/N N/A, 12" Dia. Disc, 18" C/L Belt, Mounted on Steel Fabricated Pedestal	████████	████████
57	1-	Jet Model 16 Combination Drill and Milling Machine, S/N 5304, 16" Swing, Bench Mounted, Equipped with 9-3/8" x 23 1/2" T-Slotted Table, X-Y Axis Manual Travel, and 2-HP Motor	████████	████████
58	1-	Oster Model N/A Power Pipe Threader, S/N N/A, 2" Dia. Capacity	████████	████████
59	1-	OTC Model N/A Manual 55-Ton Hydraulic H-Frame Press, S/N N/A, 33" Between Uprights, 57" Vertical Adjustment Via Shot Pins	████████	████████
60	14-	Stanley / Vidmar 30" x 28" x 59" Tool Storage Cabinets, Up to 12-Drawers each	████████	████████
61	3-	Lincoln Model Idealarc 250 Constant Current AC/DC Arc Welders, S/N's N/A, 250-Amp	████████	████████
62	2-	Lincoln Model Idealarc 250 Arc Welders, S/N's 306366 and 292590, each Approx. 250-Amp, Mounted on Mobile Cart	████████	████████
63	1-	Ridgid Model 535 Powered Pipe Threader, S/N N/A, 2 1/2" Dia. Capacity, Mounted on Mobile Steel Fabricated Base	████████	████████
64	1-	Phoenix Products Company, Inc. Model Dry Rod 160 Electrode Stabilizing Oven, S/N 300, 100°F-550°F Temperature Range	████████	████████
65	1-	Rutland Tool and Supply Company Model 5 Manual Ratchet Type Arbor Press	████████	████████

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
66	1-	Kalamazoo Model H9AW Horizontal Band Saw, S/N 13.603, 9" x 13" Capacity, Equipped with Manual Vise		
67	Lot-	Miscellaneous Equipment, Located throughout Shop, Consisting of Floor Standing and Wall Mounted Fans, Hose Reels, Oxy-Acetylene Cutting Torch Sets Mounted on 2-Wheel Carts, 2-Wheel Mobile Carts, 4-Wheel Mobile Carts, Step Ladders, Extension Ladder, Steel Fabricated Shop Tables, Vises, Flammable Cabinets, Personal Full Height Lockers, Storage Shelves, Hand Tools, Pedestal Grinders, Etc.		
68	1-	Club Car Battery Powered Golf Cart, Equipped with Charger		
		<u>BUILDING 126 – LOWER LEVEL MAINTENANCE ROOM</u>		
69	1-	Cincinnati Model Royal # 18, 18" Single Spindle Floor Standing Drill, Equipped with V-Belt Type Drive and 14" x 14" Table		
70	Lot-	Miscellaneous Equipment, Located throughout Shop, Consisting of Mobile Tool Room Type 4-Wheel Carts, Knaack Tool Box, Manual Oil Pumps, Steel Fabricated Shop Table, Vises, Double End Pedestal Grinders, Ladders, Storage Cabinets, Steel Shelving, Cantilever Stock Storage Racks		
		<u>BUILDING 133 – MAINTENANCE DEPARTMENT</u>		
71	1-	E-Z Go Battery Powered Electric Golf Cart, Equipped with Battery Charger		
72	5-	Stanley / Vidmar Tool Storage Type Cabinets, 30" x 28" x 59", 9-Drawer		
73	1-	Lincoln Model Idealarc / Tig-300, 300-Amp Arc Welding Power Source, S/N 578731 (New 1987), Mounted on Mobile Cart, Equipped with Miller Model Radiator Cooling System		
74	2-	Phoenix Model Dry Rod 160 Electrode Stabilizing Ovens, S/N's 300 and PPS		

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
75	1-	Jet Model JSG-6 Combination Disc and Belt Sander, S/N 441309, 12" Dia. Disc, 6" x 18" C/L Belt, Mounted on Steel Fabricated Base	██████████	██████████
76	1-	Airco Model 350, 350-Amp AC/DC Hellwelder Plus, S/N MH912061, Square Wave (Please Note: Not in Operation at Time of Inspection)	██████████	██████████
77	1-	Lincoln Model Idealarc-400 (R-3-R), 400-Amp Arc Welder, S/N 41010100573 (New 2001), Mounted on Mobile Cart	██████████	██████████
78	1-	Ridgid Model 1822-1 Powered Pipe Threader, S/N 105526, 2½" Dia. Capacity, Mounted on Steel Fabricated Mobile Cart, Equipped with Extra Sets of Threading Dies	██████████	██████████
79	1-	Kalamazoo Horizontal Band Saw, 13" x 20" Capacity, Equipped with Coolant System and Manual Vise	██████████	██████████
80	1-	Zero Manufacturing Company Model 65-1 600R&DF 1PM, 2-Hand Hole Sand Blast Cabinet, S/N 43482, 36" x 36" x 36" Chamber, Equipped with Dust Collection System	██████████	██████████
81	1-	Rockwell Model 20, 20" Single Spindle Floor Standing Drill, 200-2,000 RPM, Equipped with 15" x 18" T-Slotted Table and Rack and Pinion Vertical Adjustment	██████████	██████████
82	1-	Manufacturer Unknown Powered Bolt Threader, S/N N/A, 2½" Dia. Capacity, Mounted on Mobile Cart	██████████	██████████
83	1-	Rogers Hydraulics, Inc. Model KDS-50 Manual 50-Ton Hydraulic H-Frame Press, S/N 1164-B66, 35½" Between Uprights, 40" Vertical Adjustment Via Shot Pins	██████████	██████████
84	1-	E-Z Go Model Tourall Battery Powered Golf Cart, S/N N/A, Equipped with Battery Charger	██████████	██████████

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
85	Lot-	Miscellaneous Equipment, Located throughout Shop, Consisting of Steel Fabricated Shop Tables, Oxy-Acetylene Torch Sets Mounted on 2-Wheel Carts, Step Ladders, Extension Ladders, Floor Standing Fans, Flammable Cabinets, Steel Personnel Storage Lockers, 2-Wheel Carts, 4-Wheel Carts, Vises, Hand Tools, Etc. <u>BUILDING 103 – VISCOSE ROOM</u>		
86	1-	C.M. Kemp Model 100EA1 Air Dryer, S/N 1-6157, 400-scfm, 85-psi, 80°F		
87	1-	High Pressure Water Tank, Leg Mounted, Bottom Drain, Equipped with (2) Durco Centrifical Pumps, with 25-HP and Processing Piping		
88	1-	Vertical Mounted Vacuum Tank		
89	68-	T6, T6, T5, T5, T4, T4, T3, T3, T2, T2, T1, T1, R31 R32, R33, R34, R24, T7, T7, T8, T8, T9, T9, T10, T10, T11, T11, T12, T12, T13, T13, T14, T14, T15, T15, T16, T16, T17, T17, T18, T18, R16, R17, T19, T19, T20, T20, T21, T21, T22, T22, T23, T23, R30, R29, R28, R27, T24, T24, T25, T25, T26, T26, R22, T27, T27, T28, T28 Viscose Storage Tanks, each Estimated 8,000-Gallon Capacity, 11' Dia. x 11' Tall, Leg Mounted, Bottom Drain		
90	2-	N/A Viscose Tanks, each Estimated 10,000-Gallon Capacity, Insulated, 12' Dia. x 10' Tall, Leg Mounted Bottom Drain		
91	12-	T29, T29, T29, T29, T32, T32, T32, T32, T33, T33, T33 Viscose Tanks, each Estimated 8,000-Gallon Capacity, 11' Dia. x 11' Tall, Leg Mounted, Bottom Drain		
92	30-	Shriever 36" x 36" Plate Frame Filter Presses (Please Note: Not in Service at Time of Inspection)		

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
93	19-	F6, F7, F8, F9, F10, F11, F14, F15, F23, F24, F25, F26, F11, F20, F21, F22, F27, (2) N/A Lenzing Model KKF-18 High Pressure Filter Presses, S/N's 085A-186, 085B-205, 085A-191, 085A-188, 085B-204, 085-201, 085A-187, 085B-200, 094A-195, 085-185, 085A-189, 085A-194, 085A-193, 085B-198, 085B-199, 085A-190, 085B-202, 085A-192, 085B-235 (New 1993 - 1995), each 16-Bar Inside Working Pressure, 72' Tube Length x 28" Dia.		
94	2-	AVP Heat Exchangers, S/N's 27115.1 and 28115.1 (New 1993), each Rated at 150-psig at 275°F		
95	10-	Maxum Model DRG, 4" Positive Displacement Pumps, each Equipped with 50-HP Motor (Please Note: Valued in Lot of Pumps)		
96	1-	Hotsy Steam Cleaner		
97	2-	Westfalia Model SC35-08-177 Centrifuges, S/N's 1705-577 and 1705-578 (New 1993), 35" Dia., Stainless Steel Construction		
98	Lot-	Miscellaneous Tanks, Located throughout Department <u>SPIN BATH DEPARTMENT</u>		
99	22-	Carbon Steel Sand Filters, each 10' Dia. x 6' Tall, Leg Mounted, Bottom Drain, Equipped with Process Piping		
100	Lot-	Sulfuric Acid Titrators		
101	4-	Kt-4, Kt-3, Kt-2, Kt-1 Stainless Steel Strong Acid Storage Tanks, each 7' Dia. x 9' Tall, Leg Mounted, Bottom Drain		
102	2-	Spin Carbon Steel Storage Tanks, each Estimated 30' Dia. x 30' Tall		

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description Effective Date: August 4, 2004	Forced Liquidation Value	Orderly Liquidation Value
			\$	\$
103	3-	Marley Double Flow Cooling Towers, S/N's 474 and (2) N/A (Please Note: Located Outside)	██████████	██████████
104	5-	Lenzing Model TALL 200 Sulfuric Acid Analyzers <u>SALT RECOVERY DEPARTMENT</u>	██████████	██████████
105	1-	Ebner II Effect Evaporator System (New 1993), Stainless Steel Construction (Please Note: Valued Based on Current Stainless Steel Scrap Price)	██████████	██████████
106	1-	Ebner 10' Dia. x 20' Long Horizontal Crystallizer (New 1993), Stainless Steel Construction	██████████	██████████
107	4-	Siebtechnik Type 450H Centrifuges, Machine #'s 5490, 1, 2, 3, Equipped with 25-HP Motors and V- Belt Drives (Please Note: (2) Centrifuges have had their Main Bodies Repaired by Welding)	██████████	██████████
108	1-	Manufacturer Unknown Hydraulic Plate Press	██████████	██████████
109	1-	Stainless Steel Glauber Salt Melter Tank, 12,000- Gallon Capacity (Please Note: Not Physically Inspected) <u>SPIN, STRETCH, AND CUT DEPARTMENT</u>	██████████	██████████
110	4-	American Enka (RCI) Designed 4-Tow Spinning Machines (Estimated New 1956, Modified Over the Years), each 168-Position, Configured in (4) Sets of 42-Spinnerett Positions, each Position with Zenith Positive Displacement Pump Delivering 27.8-cc per Revolution, Each Bath with Sulfuric Acid, Zinc Sulphate, and Sodium Sulphate, Complete with Godet Stands (Please Note: Value is for Zenith Pumps on a Salvage Value Basis)	██████████	██████████

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
111	2-	Lenzing Model CM3/300-R Rotary Toe Cutters, S/N's 129 and 130 (New 1997) (Please Note: Not Inspected, Information Supplied by Management)	██████████	██████████
112	2-	Lenzing Model CM3/300-R Rotary Toe Cutters, S/N's N/A (New 1998 - 2000) (Please Note: Not Inspected, Information Supplied by Management)	██████████	██████████
113	2-	Lenzing Model CM3/300-R Rotary Toe Cutters, S/N's N/A (New 1998 - 2000) (Please Note: Not Inspected, Information Supplied by Management, Not Installed)	██████████	██████████
114	1-	RCI Model N/A Rotary Cutter (Please Note: Not Inspected, Information Supplied by Management)	██████████	██████████
115	4-	American Enka (RCI) Designed 12-14 Station Finishing Lines (Wash Tracks), each 60" Wide, with In Between Station Nip Stand, each with 4" Dia. Rolls, Equipped with Stainless Steel "Sluice" Box for Removing CS ₂ (Carbon Disulfide), Stainless Steel Conveyor, (4) Counter Flow Wash Stations, Caustic Station, Bleaching Station, (2) Washing Stations, Bleaching Station, Wash Station, Weak Acid Station, Wash Station, Finish Application Station, and Final Squeeze Nip Stand, Run-Out Incline Conveyor, and National Dryer Corp. Steam Heated Single Pass Dryer, 6' Wide x Approx. 180' Long, with Pre-Dryer Section, (2) Drying Sections, Sargeant Picker, Goring Metal Detector, Stock Fan, Motor, and Controls	██████████	██████████

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
116	1-	American Enka (RCI) Designed 12-14 Station Finishing Line (Wash Track), 60" Wide, with In Between Station Nip Stand, each with 4" Dia. Rolls, Equipped with Stainless Steel "Sluice" Box for Removing CS ₂ (Carbon Disulfide), Stainless Steel Conveyor, (4) Counter Flow Wash Stations, Caustic Station, Bleaching Station, (2) Washing Stations, Bleaching Station, Wash Station, Weak Acid Station, Wash Station, Finish Application Station, and Final Squeeze Nip Stand, Run-Out Incline Conveyor, and Proctor & Schwartz Steam Heated Single Pass Dryer, 6' Wide x Approx. 180' Long, with Pre-Dryer Section, (2) Drying Sections, Sargeant Picker, Goring Metal Detector, Stock Fan, Motor, and Controls		
117	5-	Continental Gin Twin Box Balers, 48" Wide x 36" Tall x 24" Deep Bales, Equipped with Hydraulic Power Units		
118	1-	Continental Gin Single Box Baler, 48" Wide x 36" Tall x 24" Deep Bale, Equipped with Hydraulic Power Unit		
119	1-	Stummer Fiber Opener		
120	Lot-	Pumps, Tanks, Process Piping, Located in Base, Used to Support Wash Tracks		
121	Lot-	CS ₂ Condensation Condensers, to Include (5) Water and (5) Lye, with (2) Stainless Steel Recovery Tanks		
		<u>FIBER LABORATORY</u>		
122	1-	John D. Hollingsworth 40" Card, Equipped with Even Feed and Single Can Coiler		
123	1-	Crosrol 40" Card, S/N 4-82-46, Equipped with Even Feed and Single Can Coiler		
124	1-	Reiter Model SB-851 Breaker Drawing Frame, S/N 116690/1 (New 1993), Equipped with Auto Can Changer		

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
125	1-	Rieter Model RSB-851 Finisher Draw Frame, S/N 116690/2 (New 1993), Equipped with Auto Leveling and Auto Can Changer	[REDACTED]	[REDACTED]
126	1-	Saco - Lowell Model FCIC Roving Frame, S/N 2133 (New 1968), 16-Position	[REDACTED]	[REDACTED]
127	1-	WhitIn Spinning Frame, 48-Position, 2" Ring, 4" Gauge	[REDACTED]	[REDACTED]
128	1-	Zinser Model 319-6174 Spinning Frame, S/N 78/11/3439 (New 1978), 160-Spindle, 1 1/4" Ring Size, 3" Gauge	[REDACTED]	[REDACTED]
129	1-	Reiter Model R1-4624 Sample Open End Spinning Frame, S/N 46240040 (New 1993), 20-Position, (1) Piecer, Doffing, and R1 Touch Screen Control	[REDACTED]	[REDACTED]
130	1-	Schlahorft Model AC0240 Sample Open End Spinning, S/N 117-1292-9407 (New 1992), 24-Position, (1) Piecer, Doffing, and Informator Controls	[REDACTED]	[REDACTED]
131	1-	Schlahorft Model Autoconer Winder, S/N N/A, 10-Position, With Magazine Creel	[REDACTED]	[REDACTED]
132	1-	Universal / Leeson 10-Position Winder	[REDACTED]	[REDACTED]
133	2-	Speizman Model LK-100 Laboratory Sock Knitters, S/N's 906 and 905	[REDACTED]	[REDACTED]
134	1-	Manufacturer Unknown Laboratory Sock Knitter	[REDACTED]	[REDACTED]
135	Lot-	Miscellaneous Support Equipment, Consisting of Spring Loaded Fiber Cans, Platform Scale, Yarn Reel, Etc.	[REDACTED]	[REDACTED]
136	1-	Lenzing Model FFR2 Whitness Tester	[REDACTED]	[REDACTED]
137	1-	Lenzing Model Fiber Measurement System	[REDACTED]	[REDACTED]
138	1-	Manufacturer Unknown Sliver Tester	[REDACTED]	[REDACTED]
139	2-	Emerson Electric Moisture Tester Ovens	[REDACTED]	[REDACTED]

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
140	3-	Brabender Model FREL1 Moisture Testers, S/N's 1865, 1803, and 956	[REDACTED]	[REDACTED]
141	1-	Uster Model Tensorapid 3 Yarn Tester, With Signal Processor	[REDACTED]	[REDACTED]
142	1-	Uster Model I Evenness Tester, Equipped with Type D Tensioner, Type B Sensor, Conveyor, and Type B Absorber, with Uster Tester 3-Signal Processor and Printer	[REDACTED]	[REDACTED]
143	1-	Lenzing Model FFR2 Absorbency Tester (Please Note: Not in Service at Time of Inspection)	[REDACTED]	[REDACTED]
144	Lot-	Miscellaneous Support Equipment, Consisting of Scales, Fiber Cans, Office Furniture, Laboratory Ovens, Stirrer, Precision Absorption Testers, Etc.	[REDACTED]	[REDACTED]
145	1-	American Stainless Steel Mone Centrifuge	[REDACTED]	[REDACTED]
146	1-	Smith Drum Steam / Electric Washer	[REDACTED]	[REDACTED]
147	1-	Lenzing Model FM02 Dye Color Tester <u>ZINC REMOVAL TREATMENT DEPARTMENT</u> <u>(Located Outside)</u> (Please Note: Removal Factor Extreme)	[REDACTED]	[REDACTED]
148	3-	Gould Model 3196MPX Centrifical Pumps, each 4" x 3", 13" Impeller, Equipped with 50-HP Motor	[REDACTED]	[REDACTED]
149	3-	T1, T2, T3 Neutralization Mix Tanks, each Carbon Steel Construction, Equipped with Agitator, Estimated 25,000-Gallon Capacity	[REDACTED]	[REDACTED]
150	1-	Lime Mixing Tank, Carbon Steel Construction, Estimated 100,000-Gallon Capacity, Equipped with Agitator and 10-HP Motor	[REDACTED]	[REDACTED]
151	2-	Lime Storage Tanks, each Carbon Steel Construction, 80,000-Lb. Capacity	[REDACTED]	[REDACTED]

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
152	2-	Stainless Steel Polymer Mixing Tanks, each 500-Gallon Capacity, Leg Mounted, Equipped with Lip Mounted Agitator	[REDACTED]	[REDACTED]
153	1-	Stainless Steel Lime Slurry Mixing Tank, Estimated 500-Gallon Capacity	[REDACTED]	[REDACTED]
154	1-	Alar Rotary Drum Filter, 60" Wide, Equipped with Motor and Drive, with Seimers Vacuum Pump and 25-HP Motor, with Control Panel	[REDACTED]	[REDACTED]
155	1-	Polypropylene Mixing Tank, Estimated 1,000-Gallon, Open Top	[REDACTED]	[REDACTED]
156	2-	Tuthill Centrifugal Pumps, each Equipped with Estimated 50-HP Motor, with Drive	[REDACTED]	[REDACTED]
157	1-	Gorman Rupp Air Pump	[REDACTED]	[REDACTED]
158	2-	Miscellaneous Stainless Steel Mixing Tanks, Estimated 500-Gallon Capacity	[REDACTED]	[REDACTED]
159	2-	Carbon Steel In-Ground Clarifiers, Estimated 300,000-Gallon Capacity	[REDACTED]	[REDACTED]
		<u>ACID RECOVERY DEPARTMENT</u>		
160	3-	Magma Collecting Tanks, 14' Dia. x 8' High, 9,000-Gallon Capacity, Mild Steel Construction	[REDACTED]	[REDACTED]
161	4-	Strong Acid Storage Tanks, 20' Dia. x 15' High, Mild Steel Construction	[REDACTED]	[REDACTED]
162	2-	Tanks, 40,000-Gallon Capacity, Mild Steel Construction	[REDACTED]	[REDACTED]
163	6-	Blaw Knox Evaporators, (5) Rated at 12,000-Lbs./Hour Capacity, (1) Rated at 6,000-Lbs./Hour Capacity	[REDACTED]	[REDACTED]
164	7-	Swenson Crystallizers, 9'6" Dia. x 18' High, Rated at 7-4,270 Gallon Batches per 24-Hours	[REDACTED]	[REDACTED]
165	1-	Fiberglass Tank, 8' Dia. x 14' High, 10,000-Gallon Capacity	[REDACTED]	[REDACTED]

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description Effective Date: August 4, 2004	Forced Liquidation Value	Orderly Liquidation Value
			\$	\$
166	1-	Tank, 7' Dia. x 10' High	[REDACTED]	[REDACTED]
167	2-	Fiberglass Tanks, 8' Dia. x 15' High	[REDACTED]	[REDACTED]
168	3-	Tanks, 11,000-Gallon Capacity, Mild Steel Construction	[REDACTED]	[REDACTED]
169	3-	Tanks, 10,000-Gallon Capacity, Mild Steel Construction	[REDACTED]	[REDACTED]
170	1-	Tank, 12' Dia x 9' High, Mild Steel Construction	[REDACTED]	[REDACTED]
171	2-	Tanks, 4' Dia. x 6' High, Mild Steel Construction	[REDACTED]	[REDACTED]
172	2-	Fiberglass Tanks, 14' Dia. x 15' High, 20,000-Gallon Capacity	[REDACTED]	[REDACTED]
173	4-	Tanks, 5' Dia. x 6' High, Stainless Steel Construction	[REDACTED]	[REDACTED]
174	3-	Fiberglass Tanks, 10' Dia. x 15' High, 7,500-Gallon Capacity	[REDACTED]	[REDACTED]
175	4-	Tanks, 8' Dia. x 16' High, Stainless Steel Construction	[REDACTED]	[REDACTED]
		<u>SALT RECOVERY BUILDING</u>		
176	4-	Carbon Steel Sulfuric Acid Storage Tanks, Approx. 20' Dia. x 30' Tall (Please Note: Located Outside)	[REDACTED]	[REDACTED]
177	1-	Escher Wyss Centrifuge, Equipped with 50-HP Motor and V-Belt Drive	[REDACTED]	[REDACTED]
178	1-	Sharples Model KM1 Centrifuge, S/N 77355, Equipped with (2) 20-HP Motors	[REDACTED]	[REDACTED]
179	4-	Manufacturer Unknown Evaporators, 24' Dia. x 15' High	[REDACTED]	[REDACTED]

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

Item #	Qty.	Description	Forced Liquidation Value	Orderly Liquidation Value
		Effective Date: August 4, 2004		
			\$	\$
180	2-	Manufacturer Unknown 48" Dia. x 30' Long Rotary Drying Kilns, Gas Fired, Mounted on Trunions, Equipped with Ring Gear Drives (Please Note: (1) Drying Kiln Not in Use)	[REDACTED]	[REDACTED]
181	1-	Redler Grain Elevator, Equipped with 6" Dia. x 30' Long Screw Conveyor and 10" Dia. x 20 Long Screw Conveyor	[REDACTED]	[REDACTED]
182	1-	Manufacturer Unknown 10" Dia. x 60' Long Screw Conveyor <u>SHIPPING / FINISHED GOODS WAREHOUSE</u>	[REDACTED]	[REDACTED]
183	1-	Carrier Model 30DG0-169, 75-HP 2-Piston Air Compressor, S/N 540018 (New 1989)	[REDACTED]	[REDACTED]
184	1-	Lantech Inc. Pallet Shrink Wrapper, 48" Square Rotating Table, 72" Vertical Travel	[REDACTED]	[REDACTED]
185	1-	Dake Model 1½ Manual Ratchet Type Arbor Press	[REDACTED]	[REDACTED]
186	1-	Dake Model 25-H, 25-Ton Manual Hydraulic H-Frame Press, S/N 182774, 33" Between Uprights, 43" Vertical Adjustment, Equipped with Steel Cable Winch	[REDACTED]	[REDACTED]
187	1-	JLG Model 1932E2 Hydraulic Self-Propelled Scissor Lift, Equipped with 30" x 65" Platform, 40" Extend-A-Deck Batteries, and Charger	[REDACTED]	[REDACTED]
188	1-	Jet Model JSG-6 Combination Disc and Belt Sander, S/N 0060013, 12" Dia. Disc, 6" x 18" C/L Belt, Mounted on Steel Fabricated Base	[REDACTED]	[REDACTED]
189	1-	Powermatic Model 1200, 20" Single Spindle Floor Standing Drill, S/N 9020V323, 270-2,000 RPM, Equipped with Variable Speed Pulley Drive, 15½" x 18" T-Slotted Table, Rack and Pinion Vertical Adjustment, and Machinery Vice	[REDACTED]	[REDACTED]
190	1-	Powcon Model Cyclomatic 300SM 300-Amp Arc Welder, Mounted on Mobile Cart	[REDACTED]	[REDACTED]