

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 191 | 1- | Kalamazoo Model H9AW Horizontal Power Band Saw, S/N 14832, 9" x 14" Capacity, Equipped with Coolant System and Manual Vise | ██████████ | ██████████ |
| 192 | 19- | Stanley Vidmar Tool Storage Cabinets, 30" x 28" x 59", 6-12 Drawers | ██████████ | ██████████ |
| 193 | 1- | Ridgid Model 535 Powered Pipe Threader, S/N 403620, 2½" Capacity, Mounted on Steel Fabricated Mobile Base, Equipped with Foot Pedal Control and Extra Sets of Threading Dies | ██████████ | ██████████ |
| 194 | 2- | Miller Model Goldstar 400SS, 400-Amp Constant Current DC Arc Welding Sources, S/N's KB028643 and KB028644 (New 1991), each Mounted on Mobile Cart | ██████████ | ██████████ |
| 195 | 1- | Miller Model XMT304CC 300-Amp, DC Inverter Arc Welder, S/N LB092794 (New 2001) | ██████████ | ██████████ |
| 196 | 1- | Miller Model 330A/BP 300-Amp, Constant Current AC/DC Power Source, S/N JE754845 (New 1984) | ██████████ | ██████████ |
| 197 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of Steel Fabricated Welding Tables, Oxy-Acetylene Torch Sets Mounted on 2-Wheel Carts, 2-Wheel Shop Carts, 4-Wheel Shop Carts, Floor Standing and Wall Mounted Fans, Vises, Adjustable Work Support Stands, Step Ladder, Extension Ladders, Double End Pedestal Grinder, 1-Ton Yale Manual Chain Hoist, Steel Storage Cabinets, Etc. <u>ELECTRIC SHOP</u> | ██████████ | ██████████ |
| 198 | 4- | E-Z Go 4-Wheel Electric Carts, each Equipped with Charger | ██████████ | ██████████ |
| 199 | 4- | E-Z Go 4-Wheel Electric Carts, each Equipped with Charger (Please Note: Not Physically Inspected) | ██████████ | ██████████ |
| 200 | Lot- | Manufacturer Unknown 6"-8" Double End Pedestal Grinders, S/N's N/A | ██████████ | ██████████ |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 201 | 1- | Dayton Model Tradesman, 20" Single Spindle Floor Standing Drill, Equipped with 16½" x 16½" T-Slotted Table and V-Belt Pulley Drive | [REDACTED] | [REDACTED] |
| 202 | 1- | Ridgid Model 535 Portable Power Pipe Threader, S/N 387486, 2½" Dia. Capacity, Mounted on Wooden Cabinet on Base with Casters | [REDACTED] | [REDACTED] |
| 203 | 1- | Zero Manufacturing Company Model N/A 2-Hand Hole Sand Blast Cabinet, S/N N/A, 36" x 36" x 36" High Cabinet, Equipped with Dust Collector | [REDACTED] | [REDACTED] |
| 204 | 1- | Powcon Model Cyclomatic 300SM 300-Amp Arc Welder, Equipped with Tepco Trion Fume Exhaust System | [REDACTED] | [REDACTED] |
| 205 | Lot- | Office Furniture and Fixtures, Consisting of Wood Laminated Top Office Tables, Secretarial Chairs, File Cabinets, Lateral File Cabinets, Personnel Storage Lockers, Lunch Room Furniture and Equipment, Consisting of Tables, Chairs, Refrigerators, Microwave Ovens, Etc. | [REDACTED] | [REDACTED] |
| | | <u>LEAD / FIBERGLASS SHOP</u> | | |
| 206 | 1- | Powermatic Model 1200, 20" Single Spindle Floor Standing Drill, S/N 020V21, 300-2,000 RPM, Equipped with Variable Pulley Speed Control, 16" x 18" T-Slotted Table, Rack and Pinion Vertical Adjustment, and Machinist Vise | [REDACTED] | [REDACTED] |
| 207 | 1- | Stanley / Vidmar 30" x 28" x 59" Tool Storage Type Cabinet | [REDACTED] | [REDACTED] |
| 208 | 1- | Grob Model 4V24 Vertical Band Saw, S/N 2382 (New 1984), 24" Throat x 12" Vertical Adjustment, 1,500-3,500 FPM Variable Speed Cut, Equipped with 24" x 28" Tilting Table and Weld and Grinding Attachment | [REDACTED] | [REDACTED] |
| 209 | 1- | Chicago Model N/A, 16-Ga. x 8' Manual Apron Brake, S/N N/A | [REDACTED] | [REDACTED] |
| 210 | 2- | E-Z Go Battery Powered Golf Carts, each Equipped with Battery Charger | [REDACTED] | [REDACTED] |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 211 | 1- | National Model U4812 Manual 12-Ga. x 48" Universal Box and Pan Brake, S/N 289-1085, Equipped with Full Set of Fingers, Mounted on Steel Fabricated Base | | |
| 212 | 1- | P & H Model N/A, 1-Ton Electric Steel Cable Hoist, S/N N/A, Equipped with Pendant Control | | |
| 213 | 1- | Kalamazoo Model 13AWW Horizontal Band Saw, S/N 1510, 13" x 22" Capacity, Equipped with Manual Vise | | |
| 214 | 1- | Everett Industries Model 20-22, 22" Dia. Blade Friction Cutoff Saw, S/N 4048-3, Manual Operation, Equipped with Foot Pedal Control | | |
| 215 | 1- | Manufacturer Unknown 2" Dia. x 36" Manual Slip Roll, Mounted on Steel Fabricated Base | | |
| 216 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of Steel Fabricated Welding Tables, Vises, Adjustment Work Support Stands, Fans, Manual Chain Hoists, Step Ladders, Extension Ladders, Rolling Step Ladder, Flammable Cabinets, Steel Storage Cabinets, Shop Vac, Pedestal Mounted Vises, Hot Water Pressure Washer, Small Flammable Storage Cabinet, Oxy-Acetylene Torch Sets, Etc. <u>SHED (ELECTRIC SHOP)</u> | | |
| 217 | 1- | Manufacturer Unknown 3-Stage Electric Powered Maintenance Lift, S/N N/A, 300-Lb. Capacity, Approx. 15' Lift, Equipped with Charger, Mounted on Castered Base | | |
| 218 | 2- | Manufacturer Unknown Manual Tubing Benders, S/N's N/A | | |
| 219 | 1- | Manufacturer Unknown Vertical Band Saw, S/N N/A, 14" Throat x 10" Vertical Adjustment, Mounted on Steel Fabricated Base | | |
| 220 | Lot- | Approx. (10) Sections 48" x 108" x 10' High Medium Duty Adjustable Pallet Storage Racks, each Equipped with (3) Vertical Sections | | |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 221 | 1- | Loadstar ½-Ton Electric Chain Hoist, Pendant Control | [REDACTED] | [REDACTED] |
| 222 | 1- | Manufacturer Unknown 9" Swing x 30" C.C. Engine Lathe, Equipped with Inch Metric Threading, Tailstock, and 5" 3-Jaw Chuck | [REDACTED] | [REDACTED] |
| 223 | 1- | Delta 14" Bench Mounted Drill, Equipped with V-Pulley Drive and 10" x 10" Table | [REDACTED] | [REDACTED] |
| 224 | 1- | Shop Test and Repair Station, Equipped with Desk, Chair, Electronic Testing Equipment, and Parts Storage Racks | [REDACTED] | [REDACTED] |
| 225 | 10- | Stanley / Vidmar 30" x 28" x 59" Tooling Cabinets, each 10-14 Drawer | [REDACTED] | [REDACTED] |
| 226 | 1- | New Hermes Model Vanguard 3000 Electric Engraving Machine, Equipped with New Hermes PC Based Control | [REDACTED] | [REDACTED] |
| 227 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of 2-Wheel Carts, 4-Wheel Carts, Floor Standing Fans, Vertical 4-Drawer File Cabinets, Blueprint Hanging Racks, Vertical Steel 2-Door Cabinets, Flammable Storage Cabinets, Paper Cutter, Miscellaneous Step and Extension Ladders, each 36" Wide x 18" Deep x 3' High, Pigeon Hole Type Parts Storage Racks, Acetylene Torch Set Mounted on 2-Wheel Cart, Wood Top Steel Frame Work Tables with Steel Drawers and Chairs, Etc. <u>BUILDING 442 - WAREHOUSE</u> | [REDACTED] | [REDACTED] |
| 228 | Lot- | 48" x 108" x 18' High Medium Duty Adjustable Pallet Storage Racks, each 3-Sections High | [REDACTED] | [REDACTED] |
| 229 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of 2-Wheel Carts, 4-Wheel Carts, Rolling Step Ladder, Shop Tables and Chairs, Platform Scales, Floor and Ceiling Fans, Etc. | [REDACTED] | [REDACTED] |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|---|------|---|--------------------------|---------------------------|
| Effective Date: August 4, 2004 | | | | |
| | | | \$ | \$ |
| <u>BUILDING 443 – WAREHOUSE</u> | | | | |
| 230 | 12- | Lyon / Vidmar Type Tool Storage Cabinets, 30" x 28" x 59½" High, each 7-12 Drawers | ██████████ | ██████████ |
| 231 | Lot- | Approx. (848) Sections of Pigeon Hole Type Parts Storage Cabinets, each 30" x 18" x 8' High | ██████████ | ██████████ |
| 232 | Lot- | Approx. (195) 54" Wide x 28" Deep x 10' High Medium Duty Pallet Storage Racks, 3-Tier Section | ██████████ | ██████████ |
| 233 | Lot- | Approx. (60) Sections of 36" x 36" x 8' High Steel Storage Cabinets, each 3-Shelves/Section | ██████████ | ██████████ |
| 234 | Lot- | Approx. (24) Uprights Medium Duty Doubled Sided 12" Cantilever x 8' High Material Storage Racks, each Equipped with (6) Arms/Side | ██████████ | ██████████ |
| 235 | Lot- | Approx. (24) Uprights Doubled Sided 12" Light Duty Cantilever x 8' High Material Storage Racks, each Equipped with (6) Arms/Side | ██████████ | ██████████ |
| 236 | 4- | Lyon Double Side 24" Heavy Duty Adjustable Cantilever x 8' High Material Storage Racks, each Equipped with (5) Arms/Side | ██████████ | ██████████ |
| 237 | 3- | Lyon Single Sided 48" Heavy Duty Adjustable Cantilever Storage Racks, each 3-Tier High | ██████████ | ██████████ |
| 238 | Lot- | Approx. (9) Sections 36" x 18" x 8' High Pigeon Hole Type Storage Racks, each 40-Bins/Section | ██████████ | ██████████ |
| 239 | Lot- | Approx. (2) Sections 36" x 24" x 8' High Pigeon Hole Type Parts Storage Racks, each 40-Bins/Section | ██████████ | ██████████ |
| 240 | Lot- | Approx. (11) Sections 36" x 12" 8' High Pigeon Hole Type Parts Storage Racks | ██████████ | ██████████ |
| <u>BUILDING 450 – PAINT SHOP</u> | | | | |
| 241 | 1- | Manufacturer Unknown 24' Wide x 8' Deep x 8' High Water Wash Spray Booth, Equipped with Exhaust Fan, Bolted Frame Section | ██████████ | ██████████ |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 242 | 1- | Tennessee American Inc. 2-Ton Pneumatic Steel Cable Hoist, Equipped with Pneumatic Push Button Pendant Control and 50' x 8" I-Beam Monorail | [REDACTED] | [REDACTED] |
| 243 | 2- | Manufacturer Unknown 5-Gallon Spray Paint Systems | [REDACTED] | [REDACTED] |
| 244 | 1- | Manufacturer Unknown 6' Wide x 8' High x 24' Electric Oven, Equipped with Electric Heat and (2) Doors | [REDACTED] | [REDACTED] |
| 245 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of 4-Wheel Carts, Flammable Cabinets, Steel Shop Tables, Floor Stand and Wall Mounted Fans, Etc. <u>SAND BLAST ROOM</u> | [REDACTED] | [REDACTED] |
| 246 | 1- | Manufacturer Unknown 88" Wide x 78" High x 12' Deep Shot Blast Chamber, Equipped with Shot Reclamation System | [REDACTED] | [REDACTED] |
| 247 | 1- | ACCO 2-Ton Electric Chain Hoist, Equipped with Powered Trolley and Push Button Control | [REDACTED] | [REDACTED] |
| 248 | 1- | Clemco Industries Model 2452, 600-Lb. Portable Shot Blast Unit, Equipped with Pneumatic Spray Nozzle, Additional Safety Helmets, and Hoses | [REDACTED] | [REDACTED] |
| 249 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of 4-Wheel Carts, Wheel Barrels, Step Ladders, Steel Cabinets, Steel Work Table, Chairs, Shop Vac, Floor Standing and Wall Mounted Fans, Etc. | [REDACTED] | [REDACTED] |
| 250 | 1- | ICM Inc. Model AB-25-ED, 2-Hand Hole Sand Blast Cabinet, S/N AB-25-ED-1-91-2, 36" x 36" x 36" Chamber, Equipped with Media Reclamation System | [REDACTED] | [REDACTED] |
| 251 | 1- | Ingersoll-Rand Model LS-1 Single Piston Type Air Compressor, S/N 81303 (New 1959), 14" Dia. x 13" Stroke Cylinder | [REDACTED] | [REDACTED] |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| | | <u>WOOD SHOP</u> | | |
| 252 | 1- | Powermatic Model 87, 19½" Throat x 12" Vertical Band Saw, S/N 9381067, Equipped with 24" x 24" Tilting Table | [REDACTED] | [REDACTED] |
| 253 | 1- | Powermatic Model 60 Jointer, S/N 9361306 (New 1993), Equipped with 9" x 72" Table | [REDACTED] | [REDACTED] |
| 254 | 1- | Powermatic Model 72A, 14" Dia. Table Saw, S/N 9372025 (New 1993), Equipped with 38" x 48" Tilting Table | [REDACTED] | [REDACTED] |
| 255 | 1- | DeWalt Radial Arm Saw, 12" Dia. Blade, 36" Overarm, Equipped with Tilting Head and 2" Dia. x 24" Roller Conveyor x 10' In-Feed and Out-Feed Table | [REDACTED] | [REDACTED] |
| 256 | 1- | Jet Model DC5000, 7½-HP Dust Collector, S/N 305005, Equipped with 4-Bag System, Mounted on Mobile Castered Base | [REDACTED] | [REDACTED] |
| 257 | 1- | Powermatic Model 30B Combination Disc and Belt Sander, S/N 90307260 (New 1990), 12" Dia. Disc, 6" x 18" C/L Belt, Equipped with Tilting Table and Push Button Control | [REDACTED] | [REDACTED] |
| 258 | 1- | Powermatic Model 180, 18" Planer, S/N 9380127 (New 1993), Equipped with 10-HP Motor | [REDACTED] | [REDACTED] |
| 259 | 1- | E-Z Go Model N/A Battery Powered Go Cart, S/N N/A | [REDACTED] | [REDACTED] |
| 260 | 1- | Atlas Copco Model XAS90, 185-cfm Portable Air Compressor, S/N 2-YA3-047094 (New 1989), Mounted on Single Axle Towing Trailer | [REDACTED] | [REDACTED] |
| 261 | 1- | Butterworth Model 110DT, 10,000-psi Portable Trash Pump, S/N 3492 (New 1987), Equipped with Detroit Model 417636 Diesel Allison Engine, S/N 796439, D.D.A. # 5145194, Mounted on 2-Axle 4-Wheel Trailer | [REDACTED] | [REDACTED] |
| 262 | 1- | Jet Model DC1200, 12-HP Dust Collector, S/N 303041, Single BAC, Portable, Mounted on Castered Base | [REDACTED] | [REDACTED] |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 263 | 1- | Jafay & Ecan Company Model CIN.O Mortice Machine, S/N 144221, Equipped with 6" x 36" Table | | |
| 264 | 1- | The Louis Allis Company Model GT, 18" Throat Single Spindle Floor Standing Drill Press, Equipped with 18" x 30" T-Slotted Table, 2½-HP Motor, Foot Treddle Operated | | |
| 265 | 1- | Oliver Model 217-D, 29" Throat Vertical Band Saw, S/N 65478, Equipped with 26½" x 28½" Tilting Table | | |
| 266 | 1- | Oliver Model 361, 30" Planer, S/N N/A (Please Note: Not in Service at Time of Inspection) | | |
| 267 | 1- | Manufacturer Unknown Pedestal Style Router, S/N N/A, Equipped with 13½" x 18" Table and 14" Vertical Adjustment | | |
| 268 | 1- | Rockwell Model N/A, 16" Swing Single Spindle Vertical Floor Standing Drill Press, S/N 90-5313, Equipped with V-Pulley Drive, 12" x 18" Table, and Foot Pedal Control | | |
| 269 | 1- | Oliver Model N/A, 34" Swing x 84" C/L Wood Lathe, S/N N/A, Equipped with Tool Post, Tailstock, and "Flat Belt" Step Pulley Drive (Please Note: Machine is Specially Designed and Modified) | | |
| | | <u>BUILDING 454 – MACHINE SHOP (FAB)</u> | | |
| 270 | 1- | Miller Model Syncrowave 350 Constant Current 350-Amp AC/DC Arc Welding Power Source, S/N KC300412 (New 1992), Equipped with Miller Model Coolmate 4 Welding Gun and Cooler | | |
| 271 | 1- | Pow Con Model Cyclomatic 300SM 300-Amp Portable Arc Welding Unit, S/N N/A | | |
| 272 | 1- | Pexto Manual 3-Roll Plate Bending Roll, 3" Dia. x 48" Rolls, Mounted on Steel Fabricated Base | | |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 273 | 1- | Lockformer Model 16, 16-Ga. Sheet Metal Roll Forming Machine, S/N 3045, Equipped with 7-Roll Stands | ██████████ | ██████████ |
| 274 | 1- | Baldor 6" Wide x 18" C/L Belt Sander, Mounted on Steel Cabinet Base | ██████████ | ██████████ |
| 275 | 1- | Grob Model NS18 Vertical Band Saw, S/N 8386, 18" Throat, 12" Vertical Adjustment, 50-2,030 FPM Variable Speed, Equipped with 24" x 24" Tilting Table | ██████████ | ██████████ |
| 276 | 1- | National Model ME5220, 20-Ga. x 52" Hydraulic Power Shear, S/N N/A, Equipped with 27" Rear Operated Manual Back Gauge and Electric Foot Pedal Control | ██████████ | ██████████ |
| 277 | 1- | W.A. Whitney Model 91 Manual 10-Ton Punch, S/N 40150, 18" Throat, Bench Mounted | ██████████ | ██████████ |
| 278 | 1- | W.A. Whitney Model 92-104 Manual 4-Ton Punch, S/N N/A, 10" Throat, Bench Mounted | ██████████ | ██████████ |
| 279 | 1- | Beverly Model B-3 Manual Sheet Metal Shear, Bench Mounted | ██████████ | ██████████ |
| 280 | 1- | Roper Whitney Model 68 Manual 5-Ton Kick Press, S/N 2820-10-92, 24" Throat, Mounted on Steel Fabricated Base | ██████████ | ██████████ |
| 281 | 1- | Powermatic Model 1200, 20" Single Spindle Floor Type Drill, S/N 220S009, Equipped with V-Pulley Type Drive, 20" x 22" T-Slotted Table, and Rack and Pinion Vertical Adjustment | ██████████ | ██████████ |
| 282 | 1- | Queen City Machine Tool Company Model N/A, 10" Double End Grinder, S/N N/A, Mounted on Steel Pedestal Base | ██████████ | ██████████ |
| 283 | 1- | Standard Industrial Corporation Model AS375-10, 3/8" x 10' Hydraulic Power Shear, S/N 993322 (New 1993), Equipped with 48" Push Button Control, Front Operated Back Gauge, and LED Readout | ██████████ | ██████████ |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 284 | 1- | Scotchman Industries Model 9012 Ironworker, S/N 20512M190 (New 1990), 90-Ton Capacity x 12" Throat, Equipped with Plate Shear, Bending Feature, and 5-HP Hydraulic Unit | | |
| 285 | 1- | Pullmax Model P5/2 Mechanical Nibbler, S/N 510051-5, 41" Throat, Equipped with Circle Shear Attachment | | |
| 286 | 1- | Chicago (Dreis & Krump) Model 205P.B., 1/4" x 10' Powered Apron Brake, S/N 119493, Equipped with Pneumatic Clamping and Push Button Control | | |
| 287 | 1- | Dreis & Krump Model W-30, 12-Ga. x 36" Universal Box and Pan Brake, S/N 83067, Equipped with Complete Set of Fingers, Mounted on Steel Fabricated Base | | |
| 288 | 1- | Jet Model BP-1248F, 12-Ga. x 48" Universal Box and Pan Brake, S/N 22013 (New 1988), Manual Operation, Equipped with Complete Set of Fingers | | |
| 289 | 1- | Chicago (Dreis & Krump) Model BP0-1014-6, 14-Ga. x 10' Universal Box and Pan Brake, S/N 322787-M, Manual Operation, Equipped with Full Set of Fingers | | |
| 290 | 1- | Hossfeld Model # 1 Universal Iron Bender, S/N 20766, Manual Operation | | |
| 291 | 1- | Miller Model 20FT, 20-KVA Rocker Arm Spot Welder, S/N HH089178, 14" Throat, Water Cooled, Equipped with Foot Pedal Pneumatic Control | | |
| 292 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of Steel Fabricated Work Tables, Vises, Floor Standing Fans, Wall Mounted Fans, 2-Wheel Shop Carts, 4-Wheel Shop Carts, Step Ladders, Extension Ladders, Flammable Cabinets, CM 2-Ton Electric Chain Hoist, Steel Storage Cabinets, Power Hand Tools, Makita 14" Abrasive Cutoff Saw, Etc. | | |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| | | <u>BUILDING 455 - MACHINE SHOP</u> | | |
| 293 | 1- | Rogers Hydraulics Inc. Model 1F 300-4810-100, 300-Ton x 15' Wheel Press, S/N 1120-G65, 13" Stroke, Equipped with Hydraulic Power Pack and Hand Lever Control | ██████████ | ██████████ |
| 294 | 1- | Dake Model 50-4, 50-Ton Manual Hydraulic H-Frame Press, S/N 192745, 33" Between Uprights, 48" Vertical Adjustment Via Shot Pins, Equipped with Steel Cable Winch | ██████████ | ██████████ |
| 295 | 1- | Lodge & Shipley Model 18", 18" Swing x 96" C.C. Engine Lathe, S/N 39121 (New 1950), Geared Head, 2½" Dia. Hole through Spindle, Equipped with Tool Post, Tailstock, Steady Rest Taper Adjustment, Inch Metric Threading, and 12" 3-Jaw Chuck | ██████████ | ██████████ |
| 296 | 1- | Powermatic Model 1200, 20" Single Spindle Floor Standing Drill, S/N 2-33502, 300-2,000 RPM, Equipped with 16" x 18" Table, Rack and Pinion Vertical Elevation, and Variable Pulley Speed Control | ██████████ | ██████████ |
| 297 | 1- | Summit Model 19-4X60, 19" Swing x 60" C.C. Engine Lathe, S/N 4733, 4" Dia. Hole through Spindle, Equipped with 12" 3-Jaw Chuck, Tool Post, Tailstock, Steady Rest Inch Metric Threading, Coolant System, and Chip Pan Base | ██████████ | ██████████ |
| 298 | 1- | Lodge & Shipley 16"/20" x 10' Engine Lathe, S/N 39320 (New 1949), Equipped with 15" Dia. 3-Jaw Chick, Tool Post, Tailstock, (2) Steady Rests, and Tracker Attachment | ██████████ | ██████████ |
| 299 | 1- | Cincinnati Model 15 Hydrashift, 17" Swing x 6' C.C. Engine Lathe, S/N HT331F, Equipped with 9" Dia. 6-Jaw Chuck, Tool Post, Tailstock, Inch Metric Threading, Taper Attachment, Coolant System, and Chip Pan Base | ██████████ | ██████████ |
| 300 | 1- | Dake Model 3A1 Manual Ratchet Type Arbor Press, S/N 062692 | ██████████ | ██████████ |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 301 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of Steel Fabricated Work Tables, Vises, Steel Cabinets, (3) Vidmar Tool Storage Cabinets, Double End Pedestal Grinders, Parts Storage Pigeon Hole Type Cabinets, 2-Wheel Carts, 4-Wheel Carts, Floor Fans, Wall Mounted Fans, CM 2-Ton Manual Chain Hoists, Powered Hand Tools, Drills, Reamers, Tape, Micrometers, Dial Indicators, Parallels, Angle Plates, Vises, Chucks, Flammable Cabinets, Etc. <u>BUILDING 455 - MACHINE SHOP (GRINDING)</u> | | |
| 302 | 1- | Mattison 12" x 36" Hydraulic Surface Grinder, S/N 123, 16" Dia. x 3" Wide Wheel, Equipped with 12" x 36" Electromagnetic Chuck, Wheel Dresser, Coolant System, and Neutrofier II Speed Control | | |
| 303 | 1- | Reid Model 2-B, 6½" x 18" Hydraulic Surface Grinder, S/N N/A, Equipped with 6½" x 18" Permanent Magnetic Chuck | | |
| 304 | 1- | DoAll Model 6612-3 Automatic Vertical Band Saw, S/N 153-64674 (New 1964), 36" Throat x 10" Vertical Clearance, Variable Speed, Equipped with 24" x 30¼" T-Slotted Tilting Table | | |
| 305 | 1- | Hanchett Model Challenger-60 Knife Grinding Machine, S/N 105 | | |
| 306 | 1- | Gould & Eberhart 24" Universal Shaper, Equipped with Tilting Table and Machinist Vise | | |
| 307 | 1- | Manufacturer Unknown Model M1432A, 13" Swing x 20" C.C. Universal Cylindrical Grinder, S/N 4178, 15" Dia. x 2" Wheel, Equipped with Mitutoyo 2-Axis Digital Readout | | |
| 308 | 1- | Sunnen Model MBB-1660 Automatic Honing Machine, S/N 89247 (New 1990), Equipped with Coolant System | | |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 309 | 1- | Dah Lih Model DL-3, CNC Knee Type Vertical Milling Machine, S/N 30228 (New 1988), 18" Throat, 80-3,800 RPM, Equipped with 19½" x 51" T-Slotted Table, Number 40 Spindle Taper, Recirculating Coolant System, Automatic Lube System, and Anilam Model Crusader Series M Control | [REDACTED] | [REDACTED] |
| 310 | 1- | Hansford Model 5 Keyseater, S/N 5-1689, Equipped with 1-Shot Lube System, 20½" x 30" T-Slotted Tilting Table, and Rear Broach Support Arm | [REDACTED] | [REDACTED] |
| 311 | 1- | K.H. Huppert Company Model ST Industrial Heat Treat Furnace, S/N 139, 9½" Wide x 10½" High x 24" Deep Cavity, 440-Volt, 3-Phase Requirement, Equipped with Electrical Control | [REDACTED] | [REDACTED] |
| 312 | 1- | Bridgeport 1½-HP Vertical Knee Type Milling Machine, S/N 176578 (New 1975), Equipped with 9" x 48" T-Slotted Table, Power X-Y Axis, Dovetail Overarm, Lube System, Recirculating Coolant System, and Shaping Attachment | [REDACTED] | [REDACTED] |
| 313 | 1- | Summit Model 3UH Knee Type Horizontal Mill, S/N 7366 (New 1983), Equipped with Indexing Universal Head, Dovetail Overarm with 24" Travel, 12¼" x 60" T-Slotted Table, Recirculating Lube System, and 12" Machinist Vise | [REDACTED] | [REDACTED] |
| 314 | 1- | Ikeda Iron Works Model RM1375, 13" Dia. Column x 5' Arm Radial Drill, S/N 80024 (New 1980), Equipped with 16" x 18" x 26" T-Slotted Box Table, Coolant System, Power Elevation, Manual Clamp, and Power Tapping | [REDACTED] | [REDACTED] |
| 315 | 1- | Clausing Trident Model N/A Geared Head Gap Bed Lathe, S/N N/A, 14" Gap, 40"/60" Swing x 12" C.C., 6" Hole through Spindle, Equipped with (3) Shear Bed Ways, Tool Post, Tailstock, Steady Rest, Inch Metric Threading, and Taper Attachment | [REDACTED] | [REDACTED] |
| 316 | 1- | DoAll Model C1216M Automatic Horizontal Band Saw, S/N 424-87107 (New 1987), 16" Dia. Round Capacity, Equipped with Pneumatic Vise, 2" Dia. x 18" Roller x 10' Conveyor In-Feed Table, and Recirculating Coolant System | [REDACTED] | [REDACTED] |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 317 | 1- | Manufacturer Unknown Combination Disc and Belt Sander, S/N N/A, 12" Dia. Disc, 6" x 18" C/L Belt, Equipped with Tilting Table and Electric Push Button Control | [REDACTED] | [REDACTED] |
| 318 | 1- | Manufacturer Unknown 3" Dia. Threading Machine, S/N N/A, Equipped with Recirculating Lube System | [REDACTED] | [REDACTED] |
| 319 | 1- | U.S.M. Model DVSM-2 Hydraulic Clicker Press, S/N G32074 (New 1990), 22½" x 28" Platen, Equipped with 19½" x 39" Table and 2-Hand Push Button Control | [REDACTED] | [REDACTED] |
| 320 | 1- | Manufacturer Unknown 6" x 12" Plasma Burning System, S/N N/A, Equipped with Thermal Arc Model Pak 45 Power Supply | [REDACTED] | [REDACTED] |
| 321 | 1- | CM Model Loadstar 1-Ton Electric Chain Hoist, Equipped with Pendant Control | [REDACTED] | [REDACTED] |
| 322 | 1- | Coffing 2-Ton Electric Chain Hoist, S/N N/A, Equipped with Pendant Control | [REDACTED] | [REDACTED] |
| 323 | 1- | CM Model Loadstar 2-Ton Electric Chain Hoist, S/N N/A, Equipped with Pendant Control | [REDACTED] | [REDACTED] |
| 324 | 1- | Budgit 2-Ton Manual Chain Hoist, S/N N/A | [REDACTED] | [REDACTED] |
| 325 | Lot- | Miscellaneous Equipment, Located throughout Shop, Consisting of 2-Wheel Carts, 4-Wheel Carts, Oxy-Acetylene Cutting Torch Systems Mounted on 2-Wheel Carts, Barrel Carts, Single and Double Cantilever Heavy Duty Storage Racks, Wheel Barrels, Metal Cabinets, Step Ladders, Extension Ladders, Etc. | [REDACTED] | [REDACTED] |
| | | <u>WASTE WATER TREATMENT</u> | | |
| 326 | 2- | Gorman Rupp Model T6A60-B Centrifical Self-Priming Pumps, S/N's 983669 and 983670, each Equipped with 20-HP Motor | [REDACTED] | [REDACTED] |
| 327 | 1- | Incline Filter Conveyor | [REDACTED] | [REDACTED] |
| 328 | 1- | In-Ground Equalization Basin, Equipped with Aerators | [REDACTED] | [REDACTED] |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 329 | 1- | In-Ground Aeration Basin, Equipped with (6) Aerators | [REDACTED] | [REDACTED] |
| 330 | 2- | Acrison Model 512 Poly-Electrolyte Processing Modules, S/N's 91300-01 and 91300-02, Equipped with (4) Polypropylene Storage Tanks | [REDACTED] | [REDACTED] |
| 331 | 1- | Lime Storage Vertical Silo | [REDACTED] | [REDACTED] |
| 332 | 4- | Denver Model N/A Centrifical Pumps, S/N's N/A | [REDACTED] | [REDACTED] |
| 333 | 1- | Andritz 84" Wide Sludge Belt Press, Equipped with 316 Stainless Steel Feed Table, Machine # CP20SMX-SB907B | [REDACTED] | [REDACTED] |
| 334 | 1- | Manufacturer Unknown 30" Wide x 60' Long Inclined Belt Conveyor | [REDACTED] | [REDACTED] |
| 335 | 1- | Campbell Hausfield Model CHO3120HMS Air Compressor, Equipped with 10-HP Motor | [REDACTED] | [REDACTED] |
| 336 | 1- | Astrol Model 1800 Analyzer | [REDACTED] | [REDACTED] |
| 337 | 1- | Astrol Model 2001 Analyzer | [REDACTED] | [REDACTED] |
| 338 | 7- | Isco Model 2170 Waste Water Samplers | [REDACTED] | [REDACTED] |
| 339 | 7- | Manufacturer Unknown Floating Aerator Pumps | [REDACTED] | [REDACTED] |
| 340 | 2- | 100' Dia. Concrete Clarifiers, with Eimco Rakes | [REDACTED] | [REDACTED] |
| 341 | 1- | 50' Dia. Concrete Thickener | [REDACTED] | [REDACTED] |
| | | <u>THROUGHOUT PLANT</u> | | |
| 342 | Lot- | Computer Equipment (Please Note: Not Inspected, Information Provided by Management, Detailed List on File) | [REDACTED] | [REDACTED] |
| 343 | Lot- | Office Furniture and Fixtures (Please Note: Not Inspected, Information Provided by Management, Detailed List on File) | [REDACTED] | [REDACTED] |
| 344 | Lot- | Forklifts and Vehicles | [REDACTED] Leased | [REDACTED] Leased |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 345 | Lot- | (900) Pumps and Motors, Located throughout Entire Plant Facility, Manufacturers Include: Goulds, Nash, SiHi, Tuthill, Pulsafeed, Durco, Viking, Allis Chalmers, Ingersoll-Rand, Silm, Luma, Worthington, ITT Marlow, Shanley, Wilfey, Gorman Rupp, Labour, Karbate, Seepex, Peerless, Brown & Sharpe, Vickers, Wilden, Deming and Dean, Materials of Construction Include: Stainless Steel, Hastaloy, Cast Iron and Alloy 20, Pump Types Include: Centrifugal, Vacuum, Diaphragm, Positive Displacement and Gear, Pump Drives Include: Electric Motors, Turbines, Gasoline and Diesel Motors <u>POWERHOUSE</u> | ██████████ | ██████████ |
| 346 | 1- | Ingersoll-Rand Model 14½-9X7 Vertically Mounted Piston Air Compressor, S/N JH1463 (New 1956) | ██████████ | ██████████ |
| 347 | 1- | Ingersoll-Rand Model 14½-9X7 Vertically Mounted Piston Air Compressor, S/N JH1462 | ██████████ | ██████████ |
| 348 | 1- | Ingersoll-Rand Model 14½-9X7 Vertically Mounted Piston Air Compressor, S/N JH6774 | ██████████ | ██████████ |
| 349 | 1- | Hercules Model N/A Back-Up Generator, S/N N/A | ██████████ | ██████████ |
| 350 | 1- | Ingersoll-Rand Model ES-2, 11" x 6" x 9" Horizontally Mounted Piston Air Compressor, S/N 8850919521 | ██████████ | ██████████ |
| 351 | 1- | Ingersoll-Rand Model ES-2, 11" x 6" x 9" Horizontally Mounted Piston Air Compressor, S/N 81604 (New 1947) | ██████████ | ██████████ |
| 352 | 1- | Ingersoll-Rand Model ES-2, 11" x 6" x 9" Horizontally Mounted Piston Air Compressor, S/N N/A | ██████████ | ██████████ |
| 353 | 1- | Worthington Model 56-C Centrifical Chiller, S/N 1415082 (Estimated New 1950's), F-14 Refrigerant, 300-HP Motor | ██████████ | ██████████ |
| 354 | 1- | Manufacturer Unknown Centrifical Chiller, F-14 Refrigerant, 300-HP Motor | ██████████ | ██████████ |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 355 | 1- | 3 Worthington Model 56-C Centrifical Chiller, S/N 1302686 (Estimated New 1950's), F-14 Refrigerant, 300-HP Motor, Rated at 250-Tons | [REDACTED] | [REDACTED] |
| 356 | 9- | 5, 6, 7, 8, 9, 12, 10, 8, 5A Carrier Model N/A Chillers, S/N's N/A | [REDACTED] | [REDACTED] |
| 357 | 4- | Gorman – Rupp Model XTX Centrifical Pumps, each Equipped with 60-HP Motor | [REDACTED] | [REDACTED] |
| 358 | 1- | Chicago Pneumatic Horizontal Mounted Piston Type Air Compressor, Equipped with 125-HP Motor | [REDACTED] | [REDACTED] |
| 359 | 1- | 4-Cell Cooling Tower (Please Note: Removal Factor Extreme) | [REDACTED] | [REDACTED] |
| 360 | 1- | Ingersoll-Rand Model Centac Centrifical Air Compressor, Equipped with 450-HP Motor | [REDACTED] | [REDACTED] |
| 361 | 1- | Joy Model TA25½ Centrifical Air Compressor, S/N BF-5379 | [REDACTED] | [REDACTED] |
| 362 | 1- | Joy Model TA25½ Centrifical Air Compressor, S/N BF-5384 (Please Note: Out of Service at Time of Inspection) | [REDACTED] | [REDACTED] |
| 363 | 1- | Joy Model TA25A Centrifical Air Compressor, S/N BF5606, 2,500-ICFM, 3,550-RPM, 500-HP Motor | [REDACTED] | [REDACTED] |
| 364 | 1- | Joy Model TA25A Centrifical Air Compressor, S/N BF5652, 2,500-ICFM, 3,550-RPM, 500-HP Motor | [REDACTED] | [REDACTED] |
| 365 | 1- | Joy Model TA25A Centrifical Air Compressor, S/N BF6336, 2,500-ICFM, 3,550-RPM, 500-HP Motor | [REDACTED] | [REDACTED] |
| 366 | 1- | Joy Model TA25A Centrifical Air Compressor, S/N 7749, 2,500-ICFM, 3,550-RPM, 500-HP Motor (Please Note: Out of Service at Time of Inspection) | [REDACTED] | [REDACTED] |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 367 | 1- | Joy Model TA25A Centrifugal Air Compressor, S/N BF5713, 2,500-ICFM, 3,550-RPM, 500-HP Motor (Please Note: Out of Service at Time of Inspection) | [REDACTED] | [REDACTED] |
| 368 | 1- | Joy Model TA25A Centrifugal Air Compressor, S/N BF5892, 2,500-ICFM, 3,550-RPM, 500-HP Motor (Please Note: Out of Service at Time of Inspection) | [REDACTED] | [REDACTED] |
| 369 | 2- | Manufacturer Unknown Air Dryers | [REDACTED] | [REDACTED] |
| 370 | 2- | Spectrum Systems Model 300 Continuous Emissions Monitoring Systems, each Equipped with Analyzer Train and Monitoring NOx and Stack Volumetric Flow, Consisting of the Following: <ul style="list-style-type: none"> • (2) 180° Heated Dilution Probes • (2) 1.5-m Non-Heated Stainless Steel Probe Tubes • (2) Dilution Probe Controllers • (1) 200' Sample Line • (2) NOx Analyzers • (2) CO₂ Analyzers • (2) Flow Monitors • (2) Instrument Racks • (1) Dilution Air Clean-Up System • (1) Environmentally Controlled 8' Wide x 12' Long x 8' High Shelter (Please Note: Product Specific, Not Inspected, Information Provided by Management) | | |
| 371 | 6- | Riley Stoker Model N/A Coal Pulverizer, S/N's 1634 (New 1967), 1635 (New 1967), 1581 (New 1965), 1580 (New 1965), 1599 (New 1965), and 1365 (New 1956), 72" Dia., 150-HP Motor | [REDACTED] | [REDACTED] |
| 372 | 8- | Babcock & Wilcox Model EL35 Coal Pulverizers, S/N's 5013, 5012, 4627, N/A, 4034, 4033, 4030, and 4029 (Estimated New 1960's), Class 221BA, Estimated 60" Dia., 125-HP | [REDACTED] | [REDACTED] |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|--|--------------------------|---------------------------|
| | | Effective Date: August 4, 2004 | | |
| | | | \$ | \$ |
| 373 | 2- | Babcock & Wilcox Model EL35 Coal Pulverizers, S/N's 4032 and 4034 (Estimated New 1960's), Class 221BA, Estimated 60" Dia., 125-HP (Please Note: Out of Service at Time of Inspection) | | |
| 374 | 3- | Elliot Steam Turbine Generators, 400-psi, 3,600-RPM Turbines, 13,800-Volts, 6,250-KVA, 5,000-KW Generators, Turbine S/N's 12773, 12772, 14822, Generator S/N's 1589, 1588, 15-8410 | | |
| 375 | 1- | Allis Chalmers Steam Turbine Generator, 400-psi, 3,600-RPM Turbine, 6,250-KVA, 5,000-KW Generator, S/N 7-24592.1 | | |
| 376 | 1- | Ace Industries 20-Ton Double Girder Top Running Bridge Crane, Pendant Operated | | |
| 377 | 9- | Babcock & Wilcox Coal Fired Water Tube Steam Boilers, (2) Rated at 150,000-Lbs./Hour of Steam, (7) Rated at 100,000-Lbs./Hour of Steam (Please Note: (2) Boilers Out of Service) | | |
| 378 | 1- | Ace 20-Ton Overhead Bridge Crane, Double Girder, Top Running, Pendant Control, Estimated 60' Span | | |
| 379 | 15- | Stanley Vidmar Tool Cabinets | | |
| 380 | Lot- | Metal Shelves, Bolt Bins, Carousel Bins, Hand Tools, Hoist | | |
| 381 | 1- | Rigid Model 535 Pipe Threader, Mounted on Stand | | |

Liberty Fibers Corporation, Highway 160, P.O. Box 2000, Lowland, Tennessee

| Item # | Qty. | Description Effective Date: August 4, 2004 | Forced Liquidation Value | Orderly Liquidation Value |
|--------|------|---|--------------------------------|---------------------------------|
|--------|------|---|--------------------------------|---------------------------------|

\$

\$

| | | | | |
|-----|------|---|------------|------------|
| 382 | Lot- | <p><u>PRECIOUS METALS</u> Spinnerets, Precious Metal Content Information Supplied by Management, to Include as of August 4, 2004: 870-Troy Oz. of 99.5% Gold, 580-Troy Oz. of 100% Platinum, Value Based on Current Commodity Prices of \$393/Troy Oz. for Gold, \$839/Troy Oz. for Platinum, Less Re-Alloying Cost, Handling, Etc.</p> | ██████████ | ██████████ |
| | | <u>TOTAL FORCED LIQUIDATION VALUE</u> | ██████████ | |
| | | <u>TOTAL ORDERLY LIQUIDATION VALUE</u> | | ██████████ |

Liberty Fibers Corporation Lowland, Tennessee



Black Clawson Hydrapulper



Impeco Continuous Slurry Pulp Press




**Sprout Waldron Model 30 x 36
Attrition Mill**



Correction Lye Storage Tank



**Titanium Dioxide Injection
System**



Baker Perkins Wet Churn


Liberty Fibers Corporation Lowland, Tennessee



Lenzing Wet Churn




Lenzing Model KKF-18 High Pressure Filter Press




American Enka Designed Spinning Machine



National Dryer Corp. Steam Heated Dryer



Zinc Removal Treatment System



Andritz Sludge Press